

# Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

## BLUE BLOKKER

Status: 08.03.2023

Page: 1 von 9

### SECTION 1: Identification of the substance/preparation and of the company/undertaking

#### 1.1. Product identifier

Name of product: BLUE BLOKKER

UFI:

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

light curing resin for technical applications

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer / distributor

SCHEU-DENTAL GmbH

Am Burgberg 20

D-58642 Iserlohn

Tel. +49 (2374) 9288-0

Fax +49 (2374) 9288-90

E-Mail: [service@scheu-group.com](mailto:service@scheu-group.com)

Internet: [www.scheu-group.com/scheu-dental](http://www.scheu-group.com/scheu-dental)

1.4. Emergency telephone number: +49 (2374) 9288-0

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 [CLP]

Skin Sens. 1; H317

Aquatic Chronic 2 H411

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard components for labelling

urethane dimethacrylate (UDMA)

tricyclodecan dimethanol diacrylate (TCDDMDA)

Urethane acrylate

Signal word: Warning

Hazard Pictograms: GHS07- GHS09



#### Hazard statements

H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local regulation.

#### Special labelling of certain mixtures

Restricted to professional users.

# Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

## BLUE BLOKKER

Status: 08.03.2023

Page: 2 von 9

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



### Hazard statements

H317

### Precautionary statements

P280-P302+P352-P333+P313

### 2.3. Other hazards

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

## SECTION 3: Composition / information on ingredients

### 3.1. Substances

not applicable

### 3.2. Mixtures

### Chemical characterization

Mixture of acrylic resins, fillers and initiators.

### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Index No		
REACH-No		
	urethane dimethacrylate (UDMA)	> 60 %
72869-86-4	Skin Sens. 1B, Aquatic Chronic 2; H317 H411	
	tricyclodecan dimethanol diacrylate (TCDDMDA)	< 25 %
42594-17-2	Skin Sens. 1B, Aquatic Chronic 2; H317 H411	
	Urethane acrylate	< 10 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, Aquatic Chronic 2; H315 H319 H317 H335 H411	
233-634-3	Ethyl-4-dimethylaminobenzoat	< 1 %
10287-53-3	Repr. 1B, Aquatic Chronic 2; H360 H411	

### Additional information

Full text of H and EUH statements: see section 16.

### Specific concentration limits, M-factors and ATE

CAS-No.	EG-No.	Chemical name	Quantity
		Specific concentration limits, M-factors and ATEs	
72869-86-4		urethane dimethacrylate (UDMA)	> 60 %
		inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
42594-17-2		tricyclodecan dimethanol diacrylate (TCDDMDA)	< 25 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
10287-53-3	233-634-3	Ethyl-4-dimethylaminobenzoat	< 1 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

# Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

**BLUE BLOKKER**

Status: 08.03.2023

Page: 3 von 9

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General information</b>	Medical treatment is necessary if symptoms occur which are obviously caused by skin or eye contact with the product or by inhalation of its vapours. Take off all contaminated clothing immediately.
<b>After inhalation:</b>	Provide fresh air. Medical treatment necessary.
<b>After contact with skin:</b>	After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary.
<b>After contact with eyes:</b>	After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.
<b>After ingestion:</b>	Do NOT induce vomiting. Medical treatment necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide Hazardous decomposition products

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

**BLUE BLOKKER**

Status: 08.03.2023

Page: 4 von 9

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

#### **Advice on safe handling**

Provide good room ventilation. Do not breathe dust.

#### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.

#### **Advice on general occupational hygiene**

Avoid contact with skin, eyes and clothes. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

#### **Requirements for storage rooms and vessels**

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C. Can polymerize with intense heat release.

#### **Hints on joint storage**

No special measures are necessary.

## SECTION 8: Exposure controls / personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### **Individual protection measures, such as personal protective equipment**

#### **Eye/face protection**

Tightly fitting goggles.

#### **Hand protection**

Gloves should be replaced regularly, especially after extended contact with the product. For each work-place a suitable glove type has to be selected.

#### **Skin protection**

Wear suitable protective clothing.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### **General Information**

<b>Physical state</b>	Gel
<b>Colour</b>	blue
<b>Odour</b>	characteristic
<b>pH-Value:</b>	not determined

#### **Changes in the physical state**

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flash point	> 100 °C
Flammability	not applicable
Lower explosion limits	not determined
Upper explosion limits	not determined

**Material Safety Data Sheet** according to (EC) 1907/2006

Tradename:

**BLUE BLOKKER**

Status: 08.03.2023

Page: 5 von 9

<b>Self-ignition temperature</b>	
Solid	not applicable
Gas	not applicable
Decomposition temperature	not determined
Vapour pressure	not determined
Density	not determined
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.
Solubility in other solvents	The substance is not soluble in water.
Partition coefficient n-octanol/water	not determined
Relative vapour density	not determined
Evaporation rate	not determined

**9.2. Other information**

Solid content not determined

**Further information**

Product has not been tested. The statement is derived from the properties of the components.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

**10.4. Conditions to avoid**

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C. Can polymerize with intense heat release.

**10.5. Incompatible materials**

Oxidising agent, Reducing agent, Heavy metals, acids, Alkali (lye)

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological Information****11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No.	Chemical name	Exposure route	Dose	Species	Source	Method
72869-86-4	urethane dimethacrylate (UDMA)	oral	LD50 >5000 mg/kg	Rat	OECD 401	
		dermal	LD50 >2000 mg/kg	Rat	OECD 404	
		inhalation (4h) dust/mist	LC50 > 5 mg/l			
42594-17-2	tricyclodecan dimethanol diacrylate (TCDDMDA)	oral	LD50 >2000 mg/kg	Rat	OECD 423	
		dermal	LD50 >2000 mg/kg	Rat	OECD 402	
10287-53-3	Ethyl-4-dimethylaminobenzoat	oral	LD50 >5000 mg/kg	Rat		
		dermal	LD50 >2000 mg/kg	Rat		

**Irritation and corrosivity:**

Based on available data, the classification criteria are not met.

# Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

**BLUE BLOKKER**

Status: 08.03.2023

Page: 6 von 9

## Sensitising effects

May cause an allergic skin reaction. (urethane dimethacrylate (UDMA); tricyclodecan dimethanol diacrylate (TCDDMDA); Urethane acrylate). Possible sensitization in case of persons suffering from hypersensitivity.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure:

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

### Further information

Product has not been tested. The statement is derived from the properties of the components.

## SECTION 12: Ecological Information

### 12.1. Toxicity

#### Aquatic toxicity:

CAS No	Chemical name	Dose	[h] [d]	Species	Source	Method
72869-86-4	urethane dimethacrylate (UDMA)					
	Acute fish toxicity	LC50 10,1 mg/l	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 > 0,68 mg/l	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 > 1,2 mg/l	48 h	Daphnia magna (Big water flea)		
42594-17-2	tricyclodecan dimethanol diacrylate (TCDDMDA)					
	Acute fish toxicity	LC50 1,65 mg/l	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 1,6 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 2,36 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
72869-86-4	urethane dimethacrylate (UDMA)	Biodegradation	22 %	28	OECD 301 F
42594-17-2	tricyclodecan dimethanol diacrylate (TCDDMDA)	OECD 301 F	27 %	56	
	Not readily biodegradable (according to OECD criteria)				

### 12.3. Bioaccumulative potential

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

### 12.6. Endocrine disruptive effect

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meet the criteria.

### 12.7. Other adverse effects

No information available.

**Material Safety Data Sheet** according to (EC) 1907/2006

Tradename:

**BLUE BLOKKER**

Status: 08.03.2023

Page: 7 von 9

**Further information:**

Do not allow uncontrolled discharge of product into the environment. Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Small quantities can be polymerized by light and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities. Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

**List of Wastes Code - used product**

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

**List of Wastes Code - contaminated packaging**

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

**Contaminated packaging**

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport Information****Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Transport category:	3
Hazard No:	90
Tunnel restriction code:	E
Excepted quantity:	E1

**Other applicable information (land transport)**

SV 375: These substances, when carried in single or combination packagings of a net quantity not exceeding 5 litres of liquids or a net mass not exceeding 5 kg of solids per single or combination packaging, are not subject to the other provisions of ADR, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

**Inland waterways transport (ADN)**

<b>14.1. UN number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Classification code:	M6
Spezial Provisions:	274 335 375 601
Limited quantity:	5 L
<b>Other applicable information (inland waterways transport)</b>	E1

**Material Safety Data Sheet** according to (EC) 1907/2006

Tradename:

**BLUE BLOKKER**

Status: 08.03.2023

Page: 8 von 9

**Marine transport (IMDG)**

14.1. UN number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
14.3. Transport hazard class(es):	9
14.4. Packaging group:	III
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
EmS:	F-A, S-F
Excepted quantity:	E1
Other applicable information (marine transport):	

**Air transport (ICAO)**

14.1. UN number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
14.3. Transport hazard class(es):	9
14.4. Packaging group:	III
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L
IATA-packing instructions - Cargo:	964
IATA-max. quantity - Cargo:	450 L
Excepted quantity:	E1
Passenger-LQ:	Y964

**Other applicable information (air transport)**

A 197: These substances are not subject to other provisions of these Regulations when carried in single or combination packagings with a net quantity per single or inner packaging not exceeding 5L for liquids and a net weight not exceeding 5kg for substances, provided the packagings meet the general requirements of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: ACRYLIC RESIN

**14.6. Special precautions for user**

No information available.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable

**SECTION 15: Regulatory Information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

**Additional information**

Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing.

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.



**Material Safety Data Sheet** according to (EC) 1907/2006

Tradename:

**BLUE BLOKKER**

Status: 08.03.2023

Page: 9 von 9

**SECTION 16: Other Information****Abbreviations and acronyms**

ADR	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG	International Maritime Code for Dangerous Goods
IATA	International Air Transport Association
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
CAS	Chemical Abstracts Service (division of the American Chemical Society)
LC50	Lethal concentration, 50 %
LD50	Lethal dose, 50 %

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

**Relevant H- and EUH-phrases (Number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.

**Further information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.