

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

Version 1.15	Revision Date: 15.03.2024	SDS Number: R11942	Date of last issue: 16.11.2023 Date of first issue: 28.08.2019
-----------------	------------------------------	-----------------------	---

1. PRODUCT AND COMPANY IDENTIFICATION

Manufacturer or supplier's details


Manufacturer	:	BODE Chemie GmbH Melanchthonstraße 27 22525 Hamburg (Germany) Tel.: +49 (0)40 / 54 00 60
Supplier	:	Paul Hartmann AG Paul-Hartmann-Str. 12 89522 Heidenheim Deutschland Tel.: +49 (0)7321 / 36 - 0
Responsible Department	:	Scientific Affairs sds@bode-chemie.de
Emergency telephone number	:	Poison Center Göttingen 24h-Phone +49 (0)551 / 1 92 40

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids	:	Category 3
Serious eye damage/eye irritation	:	Category 2A

GHS label elements

Hazard pictograms	:	
-------------------	---	---

Signal word	:	Warning
-------------	---	---------

Hazard statements	:	H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
-------------------	---	--

Precautionary statements	:	Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.
--------------------------	---	--

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	$\geq 10 - < 20$
Propan-2-ol	67-63-0	$\geq 10 - < 20$
Propan-1-ol	71-23-8	$\geq 3 - < 10$
Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid	139734-65-9	$\geq 0,1 - < 0,25$

4. FIRST AID MEASURES

General advice : If you feel unwell, seek medical advice (show the label where possible).

In case of skin contact : Wash off with plenty of water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.

Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : none

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.
Remove all sources of ignition.

Environmental precautions : Should not be released into the environment.

Methods and materials for containment and cleaning up : Use mechanical handling equipment.
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.

Advice on safe handling : Avoid contact with eyes.

Conditions for safe storage : Store in original container.
Keep tightly closed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	STEL	1.000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Propan-1-ol	71-23-8	TWA	100 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

Personal protective equipment

Protective measures : No special protective equipment required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Keep away from food and drink.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid absorbed by inert carrier material

Colour : colourless

Odour : alcohol-like

pH : 7,5 - 8,5

Boiling point/boiling range : > 80 °C

Flash point : 31 °C
Method: ISO 3679

Lower explosion limit / Lower flammability limit : 2 %(V)

Vapour pressure : No data available

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

Density : 0,952 g/cm³ (20 °C)
Solubility(ies)
Water solubility : completely miscible

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : The product is chemically stable.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : Heat
Strong sunlight for prolonged periods.
Incompatible materials : None.
Hazardous decomposition products : No decomposition if stored and applied as directed.
No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

Ethanol (CAS: 64-17-5):

Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg
Method: OECD Test Guideline 401
Acute inhalation toxicity : LC50 (Rat): 51 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Propan-2-ol (CAS: 67-63-0):

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

Propan-1-ol (CAS: 71-23-8):

Acute oral toxicity : LD50 Oral (Rat): 8.000 mg/kg
Method: OECD Test Guideline 401
Acute inhalation toxicity : LC50 (Rat): > 33,8 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Acute dermal toxicity : LD50 Dermal (Rabbit): 4.032 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):

Acute oral toxicity : LD50 Oral (Rat): > 660 mg/kg
Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethanol (CAS: 64-17-5):

Species : human skin
Result : Mild skin irritation
Remarks : Based on available data, the classification criteria are not met.

Propan-2-ol (CAS: 67-63-0):

Species : Rabbit
Result : No skin irritation

Propan-1-ol (CAS: 71-23-8):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Corrosive after 4 hours or less of exposure
GLP : yes

Serious eye damage/eye irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Chicken eye
Method : OECD Test Guideline 438
Result : Irritating to eyes.
GLP : yes

Components:

Ethanol (CAS: 64-17-5):

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritating to eyes.

Propan-2-ol (CAS: 67-63-0):

Species : Rabbit
Result : Eye irritation

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

Propan-1-ol (CAS: 71-23-8):

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):

Species : Rabbit
Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Ethanol (CAS: 64-17-5):

Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Propan-2-ol (CAS: 67-63-0):

Test Type : Buehler Test
Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

Propan-1-ol (CAS: 71-23-8):

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

Propan-2-ol (CAS: 67-63-0):

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Propan-1-ol (CAS: 71-23-8):

Genotoxicity in vitro : Test Type: in vitro assay
Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

No data available

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

No data available

Experience with human exposure

No data available

Neurological effects

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethanol (CAS: 64-17-5):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 11.200 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9.268 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Chlorella vulgaris (Fresh water algae)): 9,6 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Propan-2-ol (CAS: 67-63-0):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.692 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.285 mg/l
Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 141 mg/l
Exposure time: 16 d

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10.500 mg/l
Exposure time: 72 h

Propan-1-ol (CAS: 71-23-8):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.554 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.300 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOEC (Chlorella pyrenoidosa (algae)): 1.150 mg/l
Exposure time: 48 h
Test Type: Growth inhibition
- EC50 (Pseudokirchneriella subcapitata (green algae)): 9.170 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
- Toxicity to microorganisms : IC50 (Bacteria): > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 207,4 µg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0333 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,0237 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0,00955 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC: 0,0523 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2,3 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 1

Persistence and degradability

Product:

- Biodegradability : Remarks: Expected to be ultimately biodegradable

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

Components:

Ethanol (CAS: 64-17-5):

Biodegradability : Result: Readily biodegradable.

Propan-2-ol (CAS: 67-63-0):

Biodegradability : Result: rapidly biodegradable

Propan-1-ol (CAS: 71-23-8):

Biodegradability : Result: Readily biodegradable.

Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):

Biodegradability : aerobic
Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 28 d
Method: OECD Test Guideline 301A

Bioaccumulative potential

Components:

Ethanol (CAS: 64-17-5):

Partition coefficient: n-octanol/water : log Pow: -0,35

Propan-2-ol (CAS: 67-63-0):

Partition coefficient: n-octanol/water : log Pow: 0,05

Propan-1-ol (CAS: 71-23-8):

Partition coefficient: n-octanol/water : log Pow: 0,25

Amines, N-C10–C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-9):

Partition coefficient: n-octanol/water : log Pow: 3,82

Mobility in soil

Components:

Propan-2-ol (CAS: 67-63-0):

Distribution among environmental compartments : Remarks: Mobile in soils

Other adverse effects

Product:

Adsorbed organic bound halogens (AOX) : Remarks: Product does not contain any organic halogens.

13. DISPOSAL CONSIDERATIONS

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

Disposal methods

- Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
- Contaminated packaging : Empty remaining contents.
Store containers and offer for recycling of material when in accordance with the local regulations.

14. TRANSPORT INFORMATION

ADR

- UN number : UN 3175
Proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
(ethanol, propan-2-ol)
Class : 4.1
Packing group : II
Labels : 4.1
Hazard Identification Number : 40
Tunnel restriction code : (E)
Limited quantity (LQ) : 1,00 KG
Environmentally hazardous : no

UNRTDG

- UN number : UN 3175
Proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
(ethanol, propan-2-ol)
Class : 4.1
Packing group : II
Labels : 4.1
Environmentally hazardous : no

IATA-DGR

- UN/ID No. : UN 3175
Proper shipping name : Solids containing flammable liquid, n.o.s.
(ethanol, propan-2-ol)
Class : 4.1
Packing group : II
Labels : Flammable Solid
Packing instruction (cargo aircraft) : 448
Packing instruction (passenger aircraft) : 445

IMDG-Code

- UN number : UN 3175
Proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
(ethanol, propan-2-ol)
Class : 4.1
Packing group : II
Labels : 4.1
EmS Code : F-A, S-I
Limited quantity (LQ) : 1,00 KG
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Other international regulations

The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

16. OTHER INFORMATION

Revision Date : 15.03.2024


Date format : yyyy/mm/dd

Safety datasheet sections which have been updated:

- 3. Composition/information on ingredients
- 11. Toxicological information

Further information

NFPA:



HMIS® IV:

HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit

SAFETY DATA SHEET

according to the Globally Harmonized System

Bacillo 30 Sensitive Tissues

AiIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN