

Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

Replaces Version: - / GB Print date: 23.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Isolat / Isolat film

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Insulating agent on the basis of alginate

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Dentamid GmbH Max-Planck-Straße 31

59423 Unna

Telephone no. +49 2303 8807-0 Fax no. +49 2303 8807-29

Information provided Department Research & Development: Fax: +49 2303 8807-562

by / telephone

sicherheitsdatenblatt@dreve.com

E-mail address of person responsible

for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1A H317

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H317 May cause an allergic skin reaction.



Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

Replaces Version: - / GB Print date: 23.06.2023

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501.1 Dispose of contents/container to industrial incineration plant.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains 2-Methyl-2H-isothiazol-3-one

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

2-Methyl-2H-isothiazol-3-one

CAS No. 2682-20-4 EINECS no. 220-239-6

Registration no. 01-2120764690-50

Concentration \Rightarrow 0,0015 < 0,01 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 3 H301 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Skin Sens. 1A H317 Acute Tox. 3 H311 Skin Corr. 1B H314 Acute Tox. 2 H330

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 H400 M = 10Skin Sens. 1A H317 \Rightarrow 0,0015 % Aquatic Chronic M = 1

1

Further ingredients

Glycerol

CAS No. 56-81-5 EINECS no. 200-289-5

Registration no. 01-2119471987-18

Concentration >= 1 < 10 %

Advice: [3]

Note



Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

Replaces Version: - / GB Print date: 23.06.2023

[3] Substance with occupational exposure limits

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symptoms consult doctor.

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Do not induce vomiting. Summon a doctor immediately.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist, Extinguishing measures to suit surroundings

5.3. Advice for firefighters

Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not allow to enter drains or waterways.

6.3. Methods and material for containment and cleaning up



Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

Replaces Version: - / GB Print date: 23.06.2023

Pick up with absorbent material. Clean contaminated floors and objects thoroughly, observing environmental regulations. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary).

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store product in closed containers.

Hints on storage assembly

Do not store together with foodstuffs.

Further information on storage conditions

Keep container tightly closed and dry.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Glycerol

List TRGS 900 Type E

Short term exposure limit 200 mg/m³

Maximum limit value: 2(I) Pregnancy group: Y; Status: 05/16; Remarks: DGF

Other information

Contains no substances with occupational exposure limit values.

8.2. Exposure controls

General protective and hygiene measures

Observe the usual precautions for handling chemicals.

Respiratory protection

Not necessary, but do not inhale vapours.

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Appropriate Material nitrile

Hand protection must comply with EN 374.

Eye protection

Safety glasses



Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

Replaces Version: - / GB Print date: 23.06.2023

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid reddish Odour characteristic

Melting point

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Value 100 °C

Flammability

evaluation not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Remarks Not applicable

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

pH value

Remarks not determined

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value 1,0 g/cm³

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1):



Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

Replaces Version: - / GB Print date: 23.06.2023

Remarks not determined

Solubility in water

Remarks miscible in all proportions

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information
None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE 991,632 mg/kg

4

Method calculated value (Regulation (EC) No. 1272/2008)

Acute oral toxicity (Components)

2-Methyl-2H-isothiazol-3-one

Species rat (male)

LD50 232 249 mg/kg

2-Methyl-2H-isothiazol-3-one

Species rat (female)

LD50 120 mg/kg

Glycerol

Species rat

LD50 12,6 g/kg

Acute dermal toxicity

ATE 787,009 mg/kg

8

Method calculated value (Regulation (EC) No. 1272/2008)



Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

Replaces Version: - / GB Print date: 23.06.2023

Acute dermal toxicity (Components)

2-Methyl-2H-isothiazol-3-one

Species rat

LD50 242 mg/kg

Method OECD 402

Glycerol

Species rabbit

LD50 > 10 g/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

2-Methyl-2H-isothiazol-3-one

Species rat

LC50 0,34 mg/m³

Duration of exposure 4 h

Administration/Form Dust/Mist Method OECD 403

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation (Components)

2-Methyl-2H-isothiazol-3-one

Species rabbit evaluation corrosive Method OECD 404

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation (Components)

2-Methyl-2H-isothiazol-3-one

Species rabbit evaluation corrosive

Sensitization

evaluation May cause sensitization by skin contact. Remarks The classification criteria are met.

Sensitization (Components)

2-Methyl-2H-isothiazol-3-one

Species mouse evaluation sensitizing Method OECD 406

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)



Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

Replaces Version: - / GB Print date: 23.06.2023

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Other information

No toxicological data are available.

SECTION 12: Ecological information

h

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

2-Methyl-2H-isothiazol-3-one

Species rainbow trout (Oncorhynchus mykiss)
LC50 4,77 mg/l

Duration of exposure 96

Method OECD 203

2-Methyl-2H-isothiazol-3-one

Species rainbow trout (Oncorhynchus mykiss)

NOEC 4,93 mg/l

Glycerol

Species rainbow trout (Oncorhynchus mykiss)

LC50 > 50000 mg/l

Duration of exposure 96 h

Daphnia toxicity (Components)

2-Methyl-2H-isothiazol-3-one

Species Daphnia magna

LC50 0,934 mg/l

Duration of exposure 48 h

Method OECD 202

2-Methyl-2H-isothiazol-3-one

Species Daphnia magna

NOEC 0,044 mg/l

Duration of exposure 21 d

Method OECD 211

Glycerol

Species Daphnia magna

EC50 > 10 g/l

Duration of exposure 24 h

Algae toxicity (Components)



Print date: 23.06.2023

Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

h

Replaces Version: - / GB

2-Methyl-2H-isothiazol-3-one

Species Pseudokirchneriella subcapitata

EC50 0,103 mg/l

Duration of exposure 72 h

Method OECD 201

Bacteria toxicity (Components)

2-Methyl-2H-isothiazol-3-one

Species activated sludge

EC50 41 mg/l

Duration of exposure 3

Method OECD 209

Glycerol

Species Pseudomonas putida

EC50 > 10 g/l

Duration of exposure 16 h

12.2. Persistence and degradability

General information

not determined

Biodegradability (Components)

2-Methyl-2H-isothiazol-3-one

Value 50 %

Duration of test 29 d evaluation not readily degradable

Ready degradability (Components)

Glycerol

Value 94 %

Duration of test 24 h

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)

2-Methyl-2H-isothiazol-3-one

pOW <= 0,32

Glycerol

log Pow -2,6

Bioconcentration factor (BCF) (Components)

2-Methyl-2H-isothiazol-3-one

BCF 3,16 Source calculated value

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information



Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

Replaces Version: - / GB Print date: 23.06.2023

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage. Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name		-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-

SECTION 15: Regulatory information



Trade name: Isolat / Isolat film

Substance number: 12600 Version: 1 / GB Date revised: 23.06.2023

Replaces Version: - / GB Print date: 23.06.2023

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1A H317 Calculation method

Hazard statements listed in Chapter 2/3

H301	Toxic if swallowed.	
H311	Toxic in contact with skin.	

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 2 Acute toxicity, Category 2 Acute Tox. 3 Acute toxicity, Category 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1

Eye Dam. 1 Serious eye damage, Category 1
Skin Corr. 1B Skin corrosion, Category 1B
Skin Sens. 1A Skin sensitization, Category 1A

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.